



एचईसी
An ISO 9001-2008
Company

goh batifu; fjak dkyi kjsku fyfeVM
 ç"kkI u ,oa dkfeð foHkkx
 fu; fja 'kk[kk@eç; ky;

foKki u I f; k vkjVh@02@2013 fnukad 14@03@2013

jkph fLFkr , pbl h lyk/ vLirky ds ufl & Ldny }kjk I pkyr 2013 I = I sçkjEHk gksus okyh rhu o"kl , oa Ng ekq ds ufl & ç"kk{k.k (General Nursing & Midwifery) dk; De ea çosk graqefgyk mEehnokjka I s vkonu i = vkef=r fd; s tkrs g&&

vk; qI hek	:	fnukad 01-04-2013 dks 17 o"kl I s de vjç 25 o"kl I s vf/kd ugha gksuk pkfg, A 1/2mPpre vk; qI hek ea vuq fpr tkfr@vuq fpr tu&tkfr , oa vU; fi NM&oxL (Non Creamy Layer) ds mEehnokjka dh vk; q I hek ea I jdkj ds funs'kkud kj NW nh tk; sxh 1/2 ; g , d i wkZdkfyd ç"kk{k.k dk; De gA
Nk=kokl	:	ç"kk{k.k dh vof/k ea mEehnokj dks lyk/ vLirky ds Nk=kokl ea jguk vfuok; ZgA
'kçkf.kd ; kç; rk	:	mEehnokjka ds fy, jkT; I jdkj vFkok dbe I jdkj }kjk ekU; rk çkr fdl h Hkh fo'ofok ky; @ckMZ I s foKku fo"k; ea 10\$2 1/2Zohæ dh ijh{kk} ea de I s de 40% dy çkrkd ds I kfk mYkh.kZ gksuk vfuok; ZgA mEehnokjka dk eMdy fQV gksuk vfuok; ZgskA
p; u fof/k	:	100h 12oha 1/4+10, +12 1/2 fyf[kr ijh{kk rFkk I k{kkRdkj ea çkr vaks ds ; ksx ds mR—"V I pph ds vk/kkj ij p; u fd; k tk; sxA 1/2 gV; k foLFkfr , oa , pbl h ds er de pky; ka ds vkfJrka dks çkFkedrk nh tk; sxh 1/2 vuq fpr tkfr@ vuq fpr tutkfr@vU; fi NM&oxL (Non Creamy Layer) ds mEehnokjka dks I jdkj ds funs'kkud kj vkj{k.k fn; k tk; sxA tkudkj ds fy, I EidZ dj& Website — http://www.hecltd.com . fyf[kr ijh{kk , oa I k{kkRdkj dh frffk rFkk ; kç; (Eligible) mEehnokjka ds uke HEC ds Website ij çnf"kr fd; k tk; sxA
vkonu 'kçd	:	I keU; tkfr , oa vU; fi NM&oxL ds fy, #-100@& 1/4 I kS : i ; s 1/2 ek= nsuk gskk tks pkyku ds ek/; e I s Hkqrku djuk gskkA pkyku , pbl h ds Website — http://www.hecltd.com . ij miyç/k gSftI dk Print Out fudky dj **goh batifu; fjak dkyi kjsku fyfeVM** jkph ds i{çk ea Hkkjrh; LVV/ çd ds fdl h Hkh "kk[kk es çd dkm&0207 ea fnukad 26-03-2013 rd tek djuk gskk vjç i s k tek fd; k gqk pkyku dk ey çfr vkonu i = ds I kfk vo"; I yXU dj HkstA vuq fpr tkfr@ vuq fpr tu&tkfr ds fy, dkbZ ijh{kk 'kçd ugha yxsxA
vkonu d s dja	:	; kç; bPNçd mEehnokj A/4 I kbZt ds I kns dkxt ij ikl i kVZ I kbt ds LogLrk{fjr OkS/ks fpi dk dj uhpsfn; s x; s funs'k ds vk/kkj ij vkonu dj&& fnukad 30-03-2013 rd mi ççkd 1/2dk-1/2@fu; fja 'kk[kk@eç; ky;] eç; ky; ç"kkI fud Hkou , pbl h fyfeVM I kçV&/kçk jkph&834004>kj [kM 1/2 ds dk; kç; ea I k/kj.k Mkd }kjk çkr gsk tkuk pkfg, A v/kjç gLrk{kj jfgr vkonu i = ; k fnukad% 30-03-2013 ds ckn çkr vkonu i j fopkj ugha fd; k tk; sxA